

**Table 1: Number of Sexually Transmitted Infections Reported
With Rates Per 100,000 Population, All Bahamas, 1994-2013**

Year	Pop'n	Chlamydia		Gonoccal Infection	
		No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n
1994	273905	145	52.9	206	75.2
1995	278867	227	81.4	92	33.0
1996	283666	393	138.5	101	35.6
1997	288467	301	104.3	78	27.0
1998	293261	241	82.2	63	21.5
1999	298050	379	127.2	55	18.5
2000	303600	292	96.2	87	28.7
2001	307800	453	147.2	71	23.1
2002	312100	431	138.1	88	28.2
2003	316900	452	142.6	93	29.3
2004	320800	574	178.9	111	34.6
2005	325200	478	147.0	99	30.4
2006	329500	510	154.8	104	31.6
2007	334000	1030	308.4	146	43.7
2008	338300	1223	361.5	228	67.4
2009	342400	1430	417.6	220	64.3
2010	351461	1225	348.5	290	82.5
2011	357750	1138	318.1	260	72.7
2012	362590	812	223.9	159	43.9
2013	367430	918	249.8	148	40.3

Data for 2012-2013 are preliminary.

*Source: Department of Public Health - Surveillance Unit & STI Clinic
Prepared by: Health Information & Research Unit*

Updated 5/2014

**Table 2: Sexually Transmitted Infections Seen at the Comprehensive Clinic*
With Rates Per 100,000 Population, All Bahamas, 1994-2013**

Year	Pop'n	LGV		Chancroid		Genital Herpes		Genital Warts		Non-specific Urethritis		UTI		Trichomonas	
		No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n
1994	273905	32	11.7	22	8.0	32	11.7	38	13.9	55	20.1
1995	278867	29	10.4	23	8.2	39	14.0	35	12.6	51	18.3	13	4.7	7	2.5
1996	283666	18	6.3	20	7.1	42	14.8	28	9.9	35	12.3	13	4.6	20	7.1
1997	288467	11	3.8	22	7.6	35	12.1	28	9.7	28	9.7	23	8.0	15	5.2
1998	293261	9	3.1	8	2.7	42	14.3	46	15.7	34	11.6	17	5.8	14	4.8
1999	298050	15	5.0	10	3.4	45	15.1	39	13.1	22	7.4	19	6.4	29	9.7
2000	303600	5	1.6	11	3.6	43	14.2	31	10.2	47	15.5	23	7.6	28	9.2
2001	307800	5	1.6	2	0.6	27	8.8	22	7.1	51	16.6	22	7.1	19	6.2
2002	312100	4	1.3	2	0.6	28	9.0	21	6.7	43	13.8	10	3.2	12	3.8
2003	316900	2	0.6	5	1.6	17	5.4	21	6.6	58	18.3	29	9.2	11	3.5
2004	320800	4	1.2	3	0.9	13	4.1	16	5.0	48	15.0	18	5.6	5	1.6
2005	325200	2	0.6	1	0.3	14	4.3	12	3.7	35	10.8	5	1.5	7	2.2
2006	329500	1	0.3	5	1.5	26	7.9	17	5.2	37	11.2	5	1.5	9	2.7
2007	334000	1	0.3	0	0.0	24	7.2	12	3.6	38	11.4	2	0.6	1	0.3
2008	338300	1	0.3	1	0.3	15	4.4	23	6.8	35	10.3	3	0.9	6	1.8
2009	342400	0	0.0	0	0.0	24	7.0	22	6.4	26	7.6	12	3.5	13	3.8
2010	346900	0	0.0	2	0.6	21	6.1	20	5.8	44	12.7	3	0.9	13	3.7
2011	357750	0	0.0	0	0.0	14	3.9	22	6.1	29	8.1	6	1.7	23	6.4
2012	362590	0	0.0	1	0.3	11	3.0	23	6.3	8	2.2	2	0.6	11	3.0
2013	367430	1	0.3	0	0.0	10	2.7	27	7.3	14	3.8	3	0.8	4	1.1

... Data not available.

*The majority of STIs seen in the public health system are referred to the Comprehensive Clinic in New Providence.

Data for 2012-2013 are preliminary.

Source: Department of Public Health - Surveillance Unit & STI Clinic

Prepared by: Health Information & Research Unit

Updated 7/2014

**Table 3: Other Sexually Transmitted Infections Seen at the Comprehensive Clinic*
With Rates Per 100,000 Population, By Year, 2002-2013**

Year	Pop'n	Candidiasis		Bacterial Vaginosis		PID		Balinitis	
		No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n	No.	Rate/ 100,000 Pop'n
2002	312100	32	10.3	13	4.2	5	1.6	16	5.1
2003	316900	18	5.7	22	6.9	6	1.9	14	4.4
2004	320800	19	5.9	21	6.5	6	1.9	2	0.6
2005	325200	14	4.3	24	7.4	2	0.6	4	1.2
2006	329500	26	7.9	20	6.1	1	0.3	0	0.0
2007	334000	12	3.6	17	5.1	3	0.9	6	1.8
2008	338300	18	5.3	11	3.3	3	0.9	12	3.5
2009	342400	15	4.4	12	3.5	3	0.9	16	4.7
2010	346900	10	2.9	27	7.8	1	0.3	1	0.3
2011	357750	6	1.7	40	11.2	1	0.3	8	2.2
2012	362590	9	2.5	24	6.6	1	0.3	0	0.0
2013	367430	5	1.4	14	3.8	1	0.3	1*	0.3

Data for 2012-2013 are preliminary.


*Candida balanitis case reported for 2013.

*The majority of STIs seen in the public health system are referred to the Comprehensive Clinic in New Providence.

Source: Department of Public Health - Surveillance Unit & STI Clinic
Prepared by: Health Information & Research Unit -

Updated 7/2014

STI Rates Per 100,000 Population All Bahamas, 1994-2013




*In 2002, the case definition for Hepatitis B was accepted as "symptomatic cases with positive HB surface antigen."

Data are preliminary for 2012-2013

Source: Department of Public Health & Comprehensive Clinic

Prepared by: Health Information & Research Unit - 5/2014

Selected STI Rates Per 100,000 Population Comprehensive Clinic*, 1994-2013




* The majority of STIs seen in the public health system are referred to the Comprehensive Clinic in New Providence.

Source: Department of Public Health & Comprehensive Clinic

Prepared by: Health Information & Research Unit - 5/2014

Selected STI Rates Per 100,000 Population Comprehensive Clinic*, 1994-2013



*Data are not available for these years.

*The majority of STIs seen in the public health system are referred to the Comprehensive Clinic in New Providence.

Source: Department of Public Health & Comprehensive Clinic

Prepared by: Health Information & Research Unit - 2/2013